## Lehr- und Forschungsgebiet Mathematische Grundlagen der Informatik

RWTH Aachen Prof. Dr. E. Grädel, K. Dannert

## Algorithmic Model Theory — Assignment 6

Due: Tuesday, 19 November, 10:30

Exercise 1 15 Points

Show that the following classes are  $L_{\omega_1\omega}$  definable over the appropriate signatures.

- (a) torsion Abelian groups (This means all elements of the group have finite order);
- (b) finitely generated fields (The whole field can be generated by a finite set through applications of addition and multiplication);
- (c) linear orders isomorphic to  $(\mathbb{Z}, <)$ ;
- (d) connected graphs;
- (e) acyclic directed graphs.

Exercise 2 10 Points

- (a) Show that every model class of finite  $\tau$ -structures can be defined in  $L_{\infty\omega}$ .
- (b) Construct a satisfiable sentence  $\varphi \in L_{\infty\omega}$  over a *countable* signature  $\tau$  such that every model of  $\varphi$  is uncountable.
- (c) Let  $\mathcal{K}$  be a model class of finite structures. We say that  $\mathcal{K}$  is fixed-point bounded if for any first-order formula  $\varphi(X, \bar{x})$  (positive in X) there is a constant  $m_{\varphi}$  such that for all structures  $\mathfrak{A} \in \mathcal{K}$  we have  $(F_{\varphi}^{\mathfrak{A}})^{m_{\varphi}} = (F_{\varphi}^{\mathfrak{A}})^{m_{\varphi}+1}$  (i.e. the inductive construction for the least fixed-point of the monotone operator defined by  $\varphi$  terminates after at most  $m_{\varphi}$  steps). Show that LFP  $\equiv$  FO over fixed-point bounded structures  $\mathcal{K}$ .

Exercise 3 5 Points

In the lecture it was shown that (over finite structures) every LFP-formula is equivalent to a formula in  $L_{\infty\omega}$ . Show that this can be improved to  $L_{\infty\omega}^{\omega}$ , i.e. show that every formula  $\varphi \in LFP$  can be translated into a formula  $\varphi^* \in L_{\infty\omega}$  which is equivalent to  $\varphi$  (on finite structures) and which uses only a finite number of variables.